



Brussels, **XXX**
SANTE/11183/2018 ANNEX CIS
(POOL/E2/2018/11183/11183-EN
ANNEX CIS.docx) D082175/02
[...](2022) **XXX** draft

ANNEX

ANNEX

to the

Commission Regulation (EU) .../...

**amending Regulation (EC) No 1881/2006 as regards maximum levels of perfluoroalkyl
substances in certain foodstuffs**

ANNEX

In the Annex to Regulation (EC) No 1881/2006, the following section is added:

‘Section ... [*Publications Office: please, insert a new section number at the end of the Annex*]:
Perfluoroalkyl substances

		Maximum Levels				
		µg/kg wet weight				
Foodstuffs ⁽¹⁾		PFOS*	PFOA*	PFNA*	PFHxS*	Sum of PFOS, PFOA, PFNA and PFHxS* **
X.1	Eggs	1,0	0,30	0,70	0,30	1,7
X.2	Fishery products ²⁶ and bivalve molluscs ²⁶					
X.2.1	Fish meat ^{24, 25}					
X.2.1.1	Muscle meat of fish, except those listed under X.2.1.2 and X.2.1.3. Muscle meat of fish listed in X.2.1.2 and X.2.1.3, in case they are intended for the production of food for infants and young children .	2,0	0,20	0,50	0,20	2,0
X.2.1.2	Muscle meat of the following fish, in case they are not intended for the production of food for infants and young children: Baltic herring (<i>Clupea harengus membras</i>) Bonito (<i>Sarda</i> and <i>Orcynopsis</i> species) Burbot (<i>Lota lota</i>) European sprat (<i>Sprattus sprattus</i>) Flounder (<i>Platichthys flesus</i> and <i>Glyptocephalus cynoglossus</i>) Grey mullet (<i>Mugil cephalus</i>) Horse mackerel (<i>Trachurus trachurus</i>) Pike (<i>Esox</i> species) Plaice (<i>Pleuronectes</i> and <i>Lepidopsetta</i> species) Sardine and pilchard (<i>Sardina</i> species) Seabass (<i>Dicentrarchus</i> species) Sea catfish (<i>Silurus</i> and <i>Pangasius</i> species) Sea lamprey (<i>Petromyzon marinus</i>) Tench (<i>Tinca tinca</i>)	7,0	1,0	2,5	0,20	8,0

	Vendace (<i>Coregonus albula</i> and <i>Coregonus vandesius</i>) Silverly lightfish (<i>Phosichthys argenteus</i>) Wild salmon and wild trout (wild <i>Salmo</i> and <i>Oncorhynchus</i> species) Wolf fish (<i>Anarchichas</i> species)					
X.2.1.3	Muscle meat of the following fish, in case they are not intended for the production of food for infants and young children: Anchovy (<i>Engraulis</i> species) Babel (<i>Barbus barbus</i>) Bream (<i>Abramis</i> species) Char (<i>Salvelinus</i> species) Eel (<i>Anguilla</i> species) Pike-perch (<i>Sander</i> species) Perch (<i>Perca flubiatilis</i>) Roach (<i>Rutilus rutilus</i>) Smelt (<i>Osmerus</i> species) Whitefish (<i>Coregonus</i> species)	35	8,0	8,0	1,5	45
X.2.2	Crustaceans ^{26, 47} and bivalve molluscs. ²⁶ For crustaceans the maximum level shall apply to muscle meat from appendages and abdomen ⁴⁴ . In case of crabs and crab-like crustaceans (Brachyura and Anomura) muscle meat from appendages.	3,0	0,70	1,0	1,5	5,0
X.3	Meat and edible offal ⁶					
X.3.1	Meat of bovine animals, pig and poultry	0,30	0,80	0,20	0,20	1,3
X.3.2	Meat of sheep	1,0	0,20	0,20	0,20	1,6
X.3.3	Offal of bovine animals, sheep, pig and poultry	6,0	0,70	0,40	0,50	8,0
X.3.4	Meat of game animals, with the exception of bear meat	5,0	3,5	1,5	0,60	9,0
X.3.5	Offal of game animals, with the exception of bear offal	50	25	45	3,0	50

* The maximum level applies to the sum of linear and branched stereoisomers, whether they are chromatographically separated or not.

** For the sum of PFOS, PFOA, PFNA and PFHxS, lower bound concentrations are calculated on the assumption that all the values below the limit of quantification are zero.